

List of publications

1. Ablon G, Rotunda AM: Treatment of lower eyelid fat pads using phosphatidylcholine: clinical trial and review. *Dermatol. Surg.* 2004; 30: 422-7
2. Adelson H: Management of side effects and adverse reactions from injection of phosphatidylcholine. *Am. J. Mesotherapy* 2006; 5: 16-7
3. Atiyeh BS, Ibrahim AE, Dibo SA: Cosmetic mesotherapy between scientific evidence, science fiction, and lucrative business. *Aesthet. Plast. Surg.* 2008; 32: 842-9
4. Avelar JM: Comment on "refinement of technique in injection lipolysis based on scientific studies and clinical evaluations". *Clin. Plast. Surg.* 2009; 36: 211-3
5. Bates B: 'Fat dissolving' substance injects CCs of controversy: despite growing U.S. interest, Lipostabil's safety remains uncertain, experts warn. *Skin & Allergy News* 2003; 34: 1
6. Baumann L: Cosmeceutical critique: phosphatidylcholine. *Skin & Allergy News* 2003; 34: 24-5
7. Bechara FG, Mannherz HG, Jacob M, Mazur AJ, et al: Induction of fat cell necrosis in human fat tissue after treatment with phosphatidylcholine and deoxycholate. *JEADV* 2012; 26: 180-5
8. Bechara FG, Georgas D, Sand M, Tomi N, et al: Incapsulated fat necrosis after lipolysis of the calf with phosphatidylcholine. *Dermatology* 2008; 216: 180-1
9. Bechara FG, Skrygan M, Kreuter A, Altmeyer P, et al: Cytokine mRNA levels in human fat tissue after injection lipolysis with phosphatidylcholine and deoxycholate. *Arch. Dermatol.* 2008; 300: 455-9
10. Bechara FG, Sand M, Hoffmann K, Sand D, et al: Fat tissue after lipolysis of lipomas: a histopathological and immunohistochemical study. *J. Cutan. Pathol.* 2007; 34: 552-7
11. Bechara FG, Sand M, Sand D, Rooterdam S, et al: Lipolysis of lipomas in patients with familial multiple lipomatosis: an ultrasonography-controlled trial. *J. Cutan. Med. Surg.* 2006; 10: 155-9
12. Bechara FG, Sand M, Altmeyer P, Hoffmann K: Intralesional lipolysis with phosphatidylcholine for the treatment of lipomas: pilot study. *Arch. Dermatol.* 2006; 142: 1069-70
13. Bellman B: Phosphatidylcholine reaction. *Skin & Allergy News* 2003; 34: 12
14. Brown SA: Commentary on: Metabolic and structural effects of phosphatidylcholine and deoxycholate injections on subcutaneous fat: a randomized, controlled trial. *Aesthet. Surg. J.* 2013; 33: 409-10
15. Brown SA: The science of mesotherapy: chemical anarchy. *Aesthet. Surg. J.* 2006; 26: 95-8
16. Bryant R: Controversial mesotherapy: could it be the next botox? *Dermatol. Times* 2004; 25: 1
17. Chase CC: Common complications and adverse reactions in a mesotherapy practice. *Am. J. Mesotherapy* 2006; 1: 14-5
18. Chung SJ, Chung HL, Ho SL, Sung TK, et al: The role of phosphatidylcholine and deoxycholic acid in inflammation. *Life Sci.* 2014, <http://dx.doi.org/10.1016/j.lfs.2014.05.013>
19. Co AC, Abad-Casintahan MF, Espinoza-Thaebtharm A: Submental fat reduction by mesotherapy using phosphatidylcholine alone vs. phosphatidylcholine and organic silicium: a pilot study. *J. Cosm. Dermatol.* 2007; 6: 250-7
20. De Paula Mesquita T, de Almeida HL, de Paula Mesquita MC: Histological resolution of naevus lipomatosus superficialis with intralesional phosphatidylcholine. *JEADV* 2009; 23: 714-5
21. Dobrodin A: The treatment for eye pads revealed. *Am. J. Mesotherapy* 2006; 1: 16-7
22. Doerr TD: Lipoplasty of the face and neck. *Curr. Opin. Otolaryngol. Head Neck Surg.* 2007; 15: 228-32

23. Duncan DI: Commentary on: Metabolic and structural effects of phosphatidylcholine and deoxycholate injections on subcutaneous fat: a randomized, controlled trial. *Aesthet. Surg. J.* 2013 33: 411-3
24. Duncan DI: Letter to the editor – Response to “injection lipolysis with phosphatidylcholine and deoxycholate”. *Aesthet. Surg. J.* 2013; 33: 1073-5
25. Duncan D, Rotunda AM: Injectable therapies for localized fat loss: state of the art. *Clin. Plast. Surg.* 2011; 38: 489-501, vii
26. Duncan D, Rubin JP, Golitz L, Badylak S, et al: Refinement of technique in injection lipolysis based on scientific studies and clinical evaluation. *Clin. Plast. Surg.* 2009; 36: 195-209,v-vi; discussion 211-3
27. Duncan DI, Palmer M: Fat reduction using phosphatidylcholine/sodium deoxycholate injections: standard of practice. *Aesthetic Plast. Surg.* 2008; 32: 858-72
28. Duncan DI: The role of phosphatidylcholine in non-surgical body contouring. In: *Aesthetic Mesotherapy and Injection Lipolysis in Clinical Practice*, ed. by Sh.Madhère. Replika press Pvt, Ltd./India 2007: chapter 8: 61-75
29. Duncan DI, Chubaty R: Clinical safety data and standards of practice for injection lipolysis: a retrospective study. *Aesthet. Surg. J.* 2006; 26: 575-85
30. Duncan DI, Hasengschwandtner F: Lipodissolve for subcutaneous fat reduction and skin retraction. *Aesthet. Surg. J.* 2005; 25: 530-43
31. Friedland JA: Comment on “mesotherapy and injection lipolysis”. *Clin. Plast. Surg.* 2009; 36: 193
32. Frisari P, Pinto R: Mesosculpt with phosphatidylcholine. *Am. J. Mesotherapy* 2006; 6: 9
33. Fritz K, Tiplica G-S: *Kosmet. Med.* 2011; 32: 280-6
34. Göller A: Lipolyse in der plastischen Chirurgie. *Dissertation*, Ulm 2011
35. Gupta A, Lobocki C, Singh S, Robertson M, et al: Actions and comparative efficacy of phosphatidylcholine formulation and isolated sodium deoxycholate for different cell types. *Aesthet. Plast. Surg.* 2009; 33: 346-52
36. Hasegawa T, Matsukura T, Ikeda S: Mesotherapy for benign symmetric lipomatosis. *Aesthet. Plast. Surg.* 2010; 34: 153-6
37. Hasengschwandtner F, Gundermann K: Injection lipolysis with phosphatidylcholine and deoxycholate. *Aesthet. Surg. J.* 2013; 33: 1071-2
38. Hasengschwandtner F: Statistische Auswertung einer Befragung der Ärzte des NETZWERK-Lipolyse. *Kosmet. Med.* 2013; 34: 29-30
39. Hasengschwandtner F, List P, Spannbauer M: Objektive Messung der Körperzusammensetzung nach Injektionslipolyse mit Polyenylphosphatidylcholin mittels DEXA-Methode (Dual-Energy X-Ray-Absorptiometrie). *Kosmet. Med.* 2010; #5: 246-52
40. Hasengschwandtner F: Fat melting injections – The latest scientific findings, terms and methods. *Kosmet. Med.* 2009; #2: 10-5
41. Hasengschwandtner F, Brandl D: Phosphatidylcholine. NETWORK-Lipolysis, 2009, <http://www.network-lipolysis.com/index.php?id=1513>
42. Hasengschwandtner F: Injection lipolysis: a new method of body contouring. In: *Handbook of Cosmetic Skin Care – 2nd Edition*, e3dt. By A.Shai, H.I.Maibach, R.Baran, Repikla press Pvt Ltd./India, 2009; chapter 13: pp. 102-5
43. Hasengschwandtner F: Altersbedingte Fettgewebsveränderungen: Lipolyse, Cellulitebehandlung. In: *Hautalterung – Grundlagen, Prävention, Therapie*, ed. By J.Krutmann, T.Diepgen and C.Billmann-Krutmann, Springer press, Heidelberg 2008, chapter 10: pp. 151-165
44. Hasengschwandtner F, Furtmueller F, Spannbauer M, Silye R: Detailed documentation of one lipolysis treatment: blood values, histology, and ultrasound findings. *Aesthet. Surg. J.* 2007; 27: 204-11
45. Hasengschwandtner F: Injection lipolysis for effective reduction of localized fat in place of minor surgical lipoplasty. *Aesthet. Surg. J.* 2006; 26: 125-30
46. Hasengschwandtner F: Fat melting injections. *Am. J. Mesotherapy* 2006; 6: 24-25

47. Hasengschwandtner F: The subcutaneous injection of phosphatidylcholine for means of lipolysis. Lipodissolve – The non surgical liposculpture. *Akt. Dermatol.* 2005; 31: 549-52
48. Hasengschwandtner F: Phosphatidylcholine treatment to induce lipolysis. *J. Cosmet. Dermatol.* 2005; 4: 308-13
49. Heinrich K-G: Efficacy of injection of phosphatidylcholine into fat deposits – a non-surgical alternative to liposuction in body-contouring. *Indian J. Plast. Surg.* 2005; 38: 119-22
50. Heinrich KG: Injection lipolysis with phosphatidylcholine. *Cosmet. Med.* 2004; #5-6: 238-40
51. Hexsel DM, Serra M, de Oliveira Dal’Forno T, Zechmeister do Prado D: Cosmetic uses of injectable phosphatidylcholine on the face. *Otolaryng. Clin. N. Am.* 2005; 38: 1119-29
52. Hexsel D, Serra M, Mazzuco R, de Oliveira Dal’Forno T, et al: Phosphatidylcholine in the treatment of localized fat. *J. Drugs Dermatol.* 2003; 2: 511-8
53. Hoffmann K: Injection lipolysis. *Hautarzt* 2010; 61: 847-55
54. Hoffmann K, Altmeyer P: Verfahren zur Körperformung. In: Ästhetische und plastische Operationen in der Dermatologie, W3L-press/Herdecke/Witten, 2007; chapter 6.1-6.3
55. Hui KC: Body contouring by liposculpture. *The Hong Kong Medical Diary* 2008; 13: 20-3
56. Hübner N-F, Horch RE, Polykandriotis E, Rau TT, Dragu A: A histopathologic and immunohistochemical study on liquification of human adipose tissue ex vivo. *Aesth. Plast. Surg.* 2014; 38: 976-84
57. Hübner NF: Adipocytolyse durch Lipostabil®: Ex vivo Untersuchungen an humane Gewebe (Adipocytolysis by Lipostabil® ex vivo investigations with human tissue). *Dissertation* July 11, 2012
58. Hunstad JP, De Souza M: Review of “the lipodissolve technique: clinical experience” and author’s comment. *Clin. Plast. Surg.* 2009; 36: 223-6
59. Hunter NS, El Tawdy AM, Hegazy RA, El Samanoudy SI, et al: Letter: A 15-patient pilot trial of lipolysis of the hips and thighs using a phosphatidylcholine and deoxycholate formulation. *Dermatol. Surg.* 2013; 39: 791-4
60. Janke J, Engeli S, Gorzelniak K, Luft FC: Compounds used for ‘injection’ lipolysis destroy adipocytes and other cells found in adipose tissue. *Obes. Facts* 2009; 2: 36-9
61. Kardorff B, Gansel RW, Tats R, Balzer L, et al: 2004 Lipodissolve Clinical Report http://www.asal-meso.com/html/news/june_1B_2005_news.htm
62. Karolchyk S, Seibert L: Detergent effects of sodium deoxycholate are a major feature of an Injectable phosphatidylcholine formulation used for localized fat dissolution: a review. *Am. J. Mesotherapy* 2006; 1: 18-9
63. Kato M, Watanabe T, Yamada N, Yoshida Y, et al: Mixed cell granulomatous panniculitis on the cheek due to injection of a solution containing phosphatidylcholine and deoxycholate. *Dermatol. Surg.* 2010; 36: 1779-81
64. Khan MH, Victor F, Rao B, Sadick NS: Treatment of cellulite – Part II. Advances and controversies. *J. Am. Acad. Dermatol.* 2010; 62: 373-384
65. Kim HS, Park YM, Kim HO, Lee JY: Intralesional phosphatidylcholine and sodium deoxycholate: a possible treatment option for nevus lipomatosus superficialis. *Ped. Dermatol.* 2012; 29: 119-21
66. Kirn TF: Injection lipolysis is both defended, criticized: ‘we’ve been using injection lipolysis in my clinic for 2 years now and getting excellent results’. *Skin & Allergy News* 03/01/08
67. Klein SM, Schreml S, Nerlich M, Prantl L: In vitro studies investigating the effect of subcutaneous phosphatidylcholine injections in the 3T3-L1 adipocyte model: lipolysis or lipid dissolution? *Plast. Reconstr. Surg.* 2009; 124: 419-27
68. Klein SM, Prantl L, Berner A, Schreml S, et al: A new method to quantify the effect after subcutaneous injection of lipolytic substances. *Aesthet. Plast. Surg.* 2008; 32: 667-72; discussion 673-4

69. Kopera D, Horejsi R, Werner S, Moeller R: Injektionslipolyse zur Reduktion von seitlich im Bereich des Trochanters gelegenen Fettdepots („Reithosen“) – kontrollierte Halbseiten-Pilotstudie. *JDDG* 2008; 6: 287-291
70. Kopera D, Binder B, Toplak H, Kerl H, et al: Histopathologic changes after intralesional application of phosphatidylcholine for lipoma reduction – report of a case. *Am. J. Dermatopathol.* 2006; 28: 331-3
71. Kopera D, Binder B, Toplak H: Intralesional lipolysis with phosphatidylcholine for the treatment of lipomas: pilot study. *Arch. Dermatol.* 2006; 142: 395-6
72. Kutlubay Z: Evaluation of mesotherapeutic injections of three different combinations of lipolytic agents for body contouring. *J. Cosmet. Laser Ther.* 2011; 13: 142-53
73. Kyong YY, Choi KH: Woman with hemorrhagic spots on her abdomen. *Clin. Toxicol.* 2013; 51: 804-5
74. Le Coz J, Rittes PG: Guidelines and limitations on the use of phosphatidylcholine (Lipostabil) in mesotherapy. *Am. J. Mesotherapy* 2006; 2: 6-7
75. Levy SLJ: Tratamiento de la adiposidad localizada con fosfatidilcolina subcutánea a diferentes concentraciones. Una evaluación histológica de su efecto. *Dissertation*, Mexico October 2013
76. Li H, Lee J-H, Kim SY, Yun H-Y: Phosphatidylcholine induces apoptosis of 3T3-L1 adipocytes. *J. Biomed. Sci.* 2011; 18: 91
77. Madhère S: Mesotherapy in the management of cellulite. In: *Aesthetic Mesotherapy and Injection Lipolysis in Clinical Practice*, ed. by S.Madhère, Informa Healthcare Replika press Pvt Ltd./India 2007; chapter 10: 85-98
78. Mahmud K, Crutchfield CE: Lipodissolve for body sculpting - safety, effectiveness, and patient satisfaction. *J. Clin. Aesthet. Dermatol.* 2012; 5: 16-9
79. Maggiori S: Traitement mésothérapique des xanthélasmas à la phosphatidilcoline polyinsaturée. 5th Cong. Int. Mésothérapie, Paris/France 1988, Oct.07-09, p.364
80. Mann MW, Palm MD, Sengelmann RD: New advances in liposuction technology. *Semin. Cutan. Med. Surg.* 2008; 27: 72-82
81. Matarasso A, Pfeifer TM: Mesotherapy and injection lipolysis. *Clin. Plast. Surg.* 2009; 36: 181-92
82. Matarasso A, Pfeifer TM, and the Plastic Surgery Educational Foundation DATA Committee: Mesotherapy for body contouring. *Plast. Reconstr. Surg.* 2005; 115: 1420-4
83. McNamara D: Lipolysis melts away appearance of double chin. *Skin & Allergy News* 04/01/09
84. McNamara D: Data validate some lipolysis, but not mesotherapy. *Skin & Allergy News* 2006; 37: 20
85. McNamara D: Mesotherapy gaining ground as surgery-free fat reducer. *Skin & Allergy News* 2005; 36: 17
86. Meißner T: Spritze rückt Fettpolstern und Lipomen zu Leibe. *Ärzte Zeitung* 04.03.2011
87. Mocosch A, Mota R, Gerber PA, Homey B: Severe toxic dermatitis after injection lipolysis. *Der Hautarzt* 2012; 63: 282-5
88. Môle B: A five years experience of subcutaneous chemical lipolysis with phosphatidylcholine injections. *Ann. Chir. PLast. Esthét.* 2011; 56: 112-9
89. Motolese P: Phospholipids do not have lipolytic activity. A critical review. *J. Cosmet. Laser Ther.* 2008; 10: 114-8
90. Myers P: The cosmetic use of phosphatidylcholine in the treatment of localized fat deposits. *Cosmet. Dermatol.* 2006; 19: 416-20
91. Nanda S: Treatment of lipomas by injection lipolysis. *J. Cutan. Aesthet. Surg.* 2011; 4: 135-7
92. Noh Y, Heo C-Y: The effect of phosphatidylcholine and deoxycholate compound injections to the localized adipose tissue: an experimental study with a murine model. *Arch. Plast. Surg.* 2012; 39: 452-6
93. Noreldin AA, Abd Elhamid AM, Hashem AM, Afifi AM: A pilot study on the use of injection lipolysis in visceral adipose tissues. *Aesthet. Surg. J.* 2013 33: 431-5

94. Olbertz F-W: Injektionslipolyse – ein Erfahrungsbericht nach einjähriger Anwendung. *Frauenarzt* 2007; 48: 576-7
95. Ono S, Hyakusoka H: Complications after self-injection of hyaluronic acid and phosphatidylcholine for aesthetic purposes. *Aesthet. Surg. J.* 2010; 30: 442-7
96. Palmer M, Curran J, Bowler P: Clinical experience and safety using phosphatidylcholine injections for the localized reduction of subcutaneous fat: a multicentre, retrospective UK study. *J. Cosmet. Dermatol.* 2006; 5: 218-26
97. Palumbo P, Melchiorre E, La Torre C, Miconi G, et al: Effects of phosphatidylcholine and sodium deoxycholate on human primary adipocytes and fresh human adipose tissue. *Int. J. Immunopath. Pharmacol.* 2010; 23: 481-9. Erratum 2010; 23: 970
98. Park E-J, Kim H-S, Kim M, Oh H-J: Histological changes after treatment for localized fat deposits with phosphatidylcholine and sodium deoxycholate. *J. Cosmet. Dermatol.* 2013; 12: 240-3
99. Peckitt N: Evidenced Based Practice: Phosphatidylcholine – A Review of Evidence for the Mode of Action in Injection Lipolysis. Jeremy Mills Publishing Ltd., Huddersfield, UK, 2005, ISBN: 9781905217137
100. Pindur L, Sand M, Altmeyer P, Bechara FG: Recurrent growth of lipomas after previous treatment with phosphatidylcholine and deoxycholate. *J. Cosmet. Laser Ther.* 2011; 13: 95-6
101. Rallis E, Kintzoglou S, Moussatoo V, Riga P: Mesotherapy-induced urticaria – Letter to the Editor. *Dermatol. Surg.* 2010; 36: 1355-7
102. Reeds DN, Mohammed S, Klein S, Boswell CB, et al: Metabolic and structural effects of phosphatidylcholine and deoxycholate injections on subcutaneous fat: a randomized, controlled trial. *Aesthet. Surg. J.* 2013; 33: 400-8. Comments by Brown SA: *Aesthet. Surg. J.* 2013; 33: 409-10 & Duncan D: *Aesthet. Surg. J.* 2013; 33: 411-3
103. Rein P: Injektionslipolyse mit Phosphatidylcholin – Erfahrungen mit der „Fett-Weg-Spritze“. *Der Deutsche Dermatologe* 2006; #9: 619-20
104. Rey JW, Schreiner O, Barreiros AP, Heise M, et al: *Z. Gastroenterol.* 2011; 49: 340-3
105. Rha EY, Kang JA, Lee JH, Oh DY, et al: Comparative analysis about the effect of isolated phosphatidylcholine and sodium deoxycholate for the viability of adipocyte. *J. Korean Soc. Plast. Reconstr. Surg.* 2010; 37: 531-4
106. Rittes PG, Rittes C: Treatment of aging neck with „Lipostabil“ endovena. *J. Drugs Dermatol.* 2009; 8: 937-9
107. Rittes PG: The lipodissolve technique: clinical experience. *Clin. Plast. Surg.* 2009; 36: 215-21
108. Rittes PG: Non-surgical body contouring: the Brazilian experience. In: *Aesthetic Mesotherapy and Injection Lipolysis in Clinical Practice*, ed. by Sh.Madhère, Replika press, Pvt. Ltd./India 2007; chapter 9, pp. 77-83
109. Rittes PG: Complications of Lipostabil endovena for treating localized fat deposits. *Aesthet. Surg. J.* 2007; 27: 146-9
110. Rittes PG, Rittes J, Amary MFC: Injection of phosphatidylcholine in fat tissue: experimental study of local action in rabbits. *Aesthetic Plast. Surg.* 2006; 30: 474-8
111. Rittes PG: The use of phosphatidylcholine for correction of localized fat deposits. *Am. J. Mesotherapy* 2006; 2: 8-11
112. Rittes PG: The use of phosphatidylcholine for correction of localized fat deposits. *Aesthetic Plast. Surg.* 2003; 27: 315-8
113. Rittes PG: The use of phosphatidylcholine for correction of lower lid bulging due to prominent fat pads. *Dermatol. Surg.* 2001; 27: 391-2
114. Rose PT, Morgan M: Histological changes associated with mesotherapy for fat dissolution. *J. Cosmet. Laser Ther.* 2005; 7: 17-9
115. Rotunda AM: Injectable treatments for adipose tissue: terminology, mechanism, and tissue injection. *Lasers Surg. Med.* 2009; 41: 714-20
116. Rotunda AM: Injectable treatments for adipose tissue: terminology, mechanism, and tissue interaction. *Lasers Surg. Med.* 2009; 41: 714-20

117. Rotunda AM, Weiss SR, Rivkin LS: Randomized double-blind clinical trial of subcutaneously injected deoxycholate versus a phosphatidylcholine-deoxycholate combination for the reduction of submental fat. *Dermatol. Surg.* 2009; 35: 792-803
118. Rotunda A: Scientific studies aim to dispel controversy surrounding injection lipolysis. *The European Aesthetic Guide Autumn 2008*, 74 – 84
119. Rotunda AM: Scientific studies aim to dispel controversy surrounding injection lipolysis. *The European Aesthetic Guide, Autumn 2008*; 76-84; www.euroabg.com
120. Rotunda AM: Mesotherapy and injection lipolysis. In: *Facial Rejuvenation – A Total Approach*, ed. by D.J.Goldberg, Springer press Berlin Heidelberg 2007; chapter 7: 147-65
121. Rotunda AM, Kolodney MS: Mesotherapy and phosphatidylcholine injections: historical classification and review. *Dermatol. Surg.* 2006; 32: 465-80
122. Rotunda AM, Ablon G, Kolodney MS: Lipomas treated with subcutaneous deoxycholate injections. *J. Am. Acad. Dermatol.* 2005; 53: 973-8
123. Rotunda AM, Avram MM, Avram AS: Cellulite: Is there a role for injectables? *J. Cosmet. Laser Ther.* 2005; 7: 147-54
124. Rotunda AM, Suzuki H, Moy RL, Kolodney MS: Detergent effects of sodium deoxycholate are a major feature of an injectable phosphatidylcholine formulation used for localized fat dissolution. *Dermatol. Surg.* 2004; 30: 1001-8
125. Salles AG, Valler CS, Ferreira MC: Histologic response to injected phosphatidylcholine in fat tissue: experimental study in a new rabbit model. *Aesthet. Plast. Surg.* 2006; 30: 479-84
126. Salti G, Ghersetich I, Tantussi F, Bovani B et al: Phosphatidylcholine and sodium deoxycholate in the treatment of localized fat: a double-blind, randomized study. *Dermatol. Surg.* 2008; 34: 60-6
127. Salti G, Rauso R: Comments on “Injection Lipolysis with phosphatidylcholine and deoxycholate”. *Aesthet. Surg. J.* 2014; 34: 639-40
128. Schuller-Petrovic S, Wölkart G, Höfler G, Neuhold N, et al: Tissue-toxic effects of phosphatidylcholine/deoxycholate after subcutaneous injection for fat dissolution in rats and a human volunteer. *Dermatol. Surg.* 2008; 34: 529-43
129. Sobel HD: Editorial – Off-label usage of medical devices. *Int. J. Cosm. Surg. Aesthet. Dermatol.* 2002; 4: 259
130. Steinert M: Injektionslipolyse. *DERMAforum* 2009; #1: 4
131. Strahan JE, Cohen JL, Chorny JA: Granuloma annulare as a complication of mesotherapy: a case report. *Dermatol. Surg.* 2008; 34: 836-8
132. Tanner B, Barabas T, Crook D, Link C: A future for injection lipolysis. *Aesthet. Surg. J.* 2013; 33: 456-7
133. Tawfik HA, Zuel-Fakkar NMA, Wlmarasy R, Talib N, et al: Phosphatidylcholine for the treatment of prominent lower eyelid fat pads: a pilot study. *Ophthalm. Plast. Reconstr. Surg.* 2011; 27: 147-51
134. Toledo LS: a) Preface b) Emerging techniques in aesthetic plastic surgery. *Clin. Plast. Surg.* 2009; 36: a) xi-xiii b) 177-80
135. Treacy PJ, Goldberg DJ: Use of phosphatidylcholine for the correction of lower lid bulging due to prominent fat pads. *J. Cosmet. Laser Ther.* 2006; 8: 129-32
136. Uygur F, Evinç R, Duman H: Is phosphatidylcholine harmful to the peripheral neural tissue? An experimental study in rats. *Aesthet. J. Surg.* 2008; 28: 663-7
137. Walsh N: Some would halt lipolysis Tx pending safety data. *Skin & Allergy News* 2004; 35: 26
138. Weiss DD, Carraway JH: Eyelid rejuvenation: a marriage of old and new. *Curr. Opin. Otolaryngol. Head Neck Surg.* 2005; 13: 248-54
139. Witort EJ, Pattarino J, Romano FM, Dini M, et al: Lipolytic effectiveness of phosphatidylcholine in the treatment of ‘buffalo hump’ of HIV patients. *J. Plast. Reconstr. Aesthet. Surg.* 2011; 64: e26-8

140. Won TJ, Nam Y, Lee HS, Chung S, et al: Injection of phosphatidylcholine and deoxycholic acid regulates gene expression of lipolysis-related factors, pro-inflammatory cytokines, and hormones on mouse fat tissue. *Food Chem. Toxicol.* 2013; 60: 263-8
141. Wong GR, Chen W-P: Phosphatidylcholine/deoxycholate lipolysis and hyaluronic acid augmentation to enhance nonsurgical lower facial contouring using botulinum toxin type A. *J. Cosmet. Dermatol.* 2011; 10: 159-62
142. Worcester S: Lipodissolve mesotherapy is gaining popularity. *Skin & Allergy News* 2007; 38: 25
143. Young VL: Letter to the editor – Response to “injection lipolysis with phosphatidylcholine and deoxycholate”. *Aesthet. Surg. J.* 2013; 33: 1076
144. Young VL: Lipostabil: the effect of phosphatidylcholine on subcutaneous fat. *Aesthet. Surg. J.* 2003; 23: 413-7
145. Zhang Y, Gao J-h, Jiang P, Wang L-y, et al: *Chin. J. Aesthet. Med.* 2006; 15: 1346-8

Gu, 28.05.2015